CNTL-UNIT
F3208101

Q2007
HD404608B01H

Q2005-1
μPD40138G

Q2005-2
μPD40138G

MC2001
EM-78C4


BT2001
99000554


SP0001


J2001
P1090682


DS2001
T415001


NOTE:
RESISTOR VALUES ARE IN Ω, 1/16W ;
CAPACITOR VALUES ARE IN μF, 50V ;
(T) CAPACITOR VALUES ARE TANTALUM ;
UNLESS OTHERWISE NOTED.


IF UNIT F3213102A
GND
+B
TSQ
N.C
CPUS
IFIN
GND
AF
SQSV
RS
J3001 P1090708
AFMUTE
SCAN
S16
BEEP
AFCNT
ENC
ENC
CPUS
N.C
TSQ
+B
GND
J3002 P0090821
AF OUT
AF IN
ENC
ENC
J3003 P0090820
SQ VR
GND
Q3004 MC3372M
Q3002 2SC4215Y
Q3001 1SS303
Q3007 2SC4116GR
Q3011 2SC4116GR
Q3016 2SJ125D
Q3006 2SB799-ML
Q3005 2SC4116GR
Q3009 IMD2
Q3010 DTC144EU
Q3014 NJM3886D
D3001 1SS303
D3002 1SS294
D3003 1SS302
CF3001 CFWM455F
X3001 17.245MHz
X3002 CSB455E17
NOTE:
RESISTOR VALUES ARE IN Ω,1/16W ;
CAPACITOR VALUES ARE IN μF, 50V ;
(T)CAPACITOR VALUES ARE TANTALUM ;
ELECTOROLYTIC CAPACITOR ARE IN μF,16V ;
INDUCTOR VALUES ARE IN H
UNLESS OTHERWISE NOTED.


PAG-UNIT
F3208102
GND
DV
D4
D3
D2
D1
OE
VDD
PD
AF
Q8101 TC35305F-11
C8101 CSA3.58MG
NOTE:
RESISTER VALUES ARE IN Ω,1/16W ;
CAPACITOR VALUES ARE IN μF, 50V ;
(T)CAPACITOR VALUES ARE TANTALUM ;
UNLESS OTHERWISE NOTED.


CLOCK-UNIT
F3222101A
X7001 12.800MHZ
GND
X1
X2
NOTE:
RESISTOR VALUES ARE IN Ω,1/16W ;
CAPACITOR VALUES ARE IN μF, 50V ;
(T)CAPACITOR VALUES ARE TANTALUM ;
INDUCTOR VALUES ARE IN H
UNLESS OTHERWISE NOTED.


VR-UNIT F3211000
VRS001-2 20KA/SW POW
VRS001-1 20KA/SW VOL
SS001 EC09F20-04
VRS002 50KB
+B OUT
+B IN
GND
AF OUT
AF IN
ENC
ENC
SQL VR
GND


MOTHER-UNIT F3213101A
PLL-UNIT F3212101A
APC-UNIT F3212102A